



利华高贸易有限公司

# Artificial Grass Catalogue 2024

BUILD YOUR DREAMS WITH RELIABLE SOURCING FROM CHINA

 [www.imexao.com](http://www.imexao.com)

for  
19+ YEARS

## LANDSCAPING

Three, or four, up to six colored turf decorate your world in the shape of flat surface, v curve, or diamond. There will always be me, essence of your life, waiting, watching and touching you in all the seasons.



- CGT popular series for its natural appearance.
- PE straight & PP curled monofilament.
- Soft grass yarn material with comfortable feeling.
- Superior UV-stability to minimize the color fading.



See Me® -  
30L59Q33G2-4Y

Material: PE + PP  
Dtex: 7000 D  
Pile height: 12-65 mm  
Gauge: 3/8, 5/8  
Stitches: 120-300/m  
Density: 7560 - 31500 /m<sup>2</sup>



See Me® -  
40L59Q33G2-JX3

Material: PE + PP  
Dtex: 7200 D  
Pile height: 12-65 mm  
Gauge: 3/8, 5/8  
Stitches: 120-300/m  
Density: 7560 - 31500 /m<sup>2</sup>



+ (86) 186-8880-7020

See Me® -  
30L59Q33G2-4YJX4

Material: PE + PP  
Dtex: 7000 D  
Pile height: 12-65 mm  
Gauge: 3/8, 5/8  
Stitches: 120-300/m  
Density: 7560 - 31500 /m<sup>2</sup>



See Me® -  
30L59Q33G2-4YJX3-2

Material: PE + PP  
Dtex: 7000 D  
Pile height: 12-65 mm  
Gauge: 3/8, 5/8  
Stitches: 120-300/m  
Density: 7560 - 31500 /m<sup>2</sup>



# AG-1 1



"Let us help to build your dreams"



## LANDSCAPING

Be gazed as the goddess, and be adored by her perfect curve, its secret was circling around people's mind in centuries, while it is to be fondled through your fingers, or to be smelt by its fresh perfume.



- Special "C" shape yarn structure.
- Super standing ability.
- Wider yarn fiber for natural feeling.
- PE straight & PP curve monofilament.
- High UV-resistant standard.
- High-quality PE & PP material.



Venus Secret® -  
40L59Q33G2-XC4-12



Material: PE + PP  
Dtex: 9800 D  
Pile height: 12-65 mm  
Gauge: 3/8, 5/8  
Stitches: 120-300/m  
Density: 7560 - 31500 /m<sup>2</sup>

Venus Secret® -  
30L59Q33G2-XC4-4



Material: PE + PP  
Dtex: 8500 D  
Pile height: 12-65 mm  
Gauge: 3/8, 5/8  
Stitches: 120-300/m  
Density: 7560 - 31500 /m<sup>2</sup>

+ (86) 186-8880-7020

Venus Secret® -  
35L59Q33G2-XC4-7



Material: PE + PP  
Dtex: 12800 D  
Pile height: 12-65 mm  
Gauge: 3/8, 5/8  
Stitches: 120-300/m  
Density: 7560 - 31500 /m<sup>2</sup>

Venus Secret® -  
40L59Q33G2-BC4-(8+8)



Material: PE + PP  
Dtex: 8800 D  
Pile height: 12-65 mm  
Gauge: 3/8, 5/8  
Stitches: 120-300/m  
Density: 7560 - 31500 /m<sup>2</sup>

# AG-1 2



"Let us help to build your dreams"





Faery Hands® -  
30L59Q33G2-XDJ4



Material: PE + PP  
Dtex: 7800 D  
Pile height: 12-65 mm  
Gauge: 3/8, 5/8  
Stitches: 120-300/m  
Density: 7560 - 31500 /m<sup>2</sup>

Faery Hands® -  
40L59Q33G2-XDJ4-2



Material: PE + PP  
Dtex: 11000 D  
Pile height: 12-65 mm  
Gauge: 3/8, 5/8  
Stitches: 120-300/m  
Density: 7560 - 31500 /m<sup>2</sup>

Curve™ -  
40L59Q33G2-S4-M



Material: PE + PP  
Dtex: 10000 D  
Pile height: 12-65 mm  
Gauge: 3/8, 5/8  
Stitches: 120-300/m  
Density: 7560 - 31500 /m<sup>2</sup>

## LANDSCAPING

Stem or curvy "S" shape grass create a magic look and constantly upright. Environmentally friendly product with perfect color combination of various green.



+(86) 186-8880-7020

- Mini stem structure creates strong resilient properties.
- Highly imitated grass tip design makes the yarn stands upright.
- Special Stem or S shape yarn structure.
- Constantly upright ability.
- Curved yarn fiber with soft feeling.

IMEXAO  
IMPORTERS EXPORTERS

**AG-1 2**



"Let us help to build your dreams"





Wild Force® -  
45L59Q33G2-DJ4M



Material: PE + PP  
Dtex: 14500 D  
Pile height: 12-85 mm  
Gauge: 3/8, 5/8  
Stitches: 120- 300/m  
Density: 7560 - 31500 /m<sup>2</sup>

Wild Force® -  
50L59Q33G2-W1



Material: PE + PP  
Dtex: 14000 D  
Pile height: 12-85 mm  
Gauge: 3/8, 5/8  
Stitches: 120- 300/m  
Density: 7560 - 31500 /m<sup>2</sup>

Lightning® -  
40L59Q33G2-SD4



Material: PE + PP  
Dtex: 13500 D  
Pile height: 12-85 mm  
Gauge: 3/8, 5/8  
Stitches: 120- 300/m  
Density: 7560 - 31500 /m<sup>2</sup>

## LANDSCAPING

Broader and thicker blade offer much stronger performance while you are wandering on the tufting garden.



+ (86) 186-8880-7020

- PE monofilament with stronger stem.
- Strong wearing durability & elastic resilience.
- Highest UV treatment for harsh climate.
- Lightning structure of better resilience.
- Top grade landscaping grass for tender projects.
- Matte color in dark and light green interlaced.

# AG-1 4



"Let us help to build your dreams"



## LANDSCAPING

Poetic Silk® series, Soft, bluish, and olive green, straight and curve are combined into a poem, which makes a silk cape for all the friends who appreciate its taste.



- Extra softness.
- Top choice for landscaping contractors & construction companies.

Poetic Silk® -  
40L49Q33G2-4




Material: PE+PE  
Dtex: 11000 D  
Pile height: 12-65 mm  
Gauge: 3/8, 5/8  
Stitches: 120-300/m  
Density: 7560 - 31500 /m<sup>2</sup>

Poetic Silk® -  
35L49Q33G2-P4



Material: PE+PE  
Dtex: 12000 D  
Pile height: 12-65 mm  
Gauge: 3/8, 5/8  
Stitches: 120-300/m  
Density: 7560 - 31500 /m<sup>2</sup>



## LANDSCAPING

Iris delivers CGT grass to have built the everlasting wonder of our colorful and unique globe.



- Decoration collection for kindergarten, wall & roof top.
- Medium standard for wide-ranging applications.

Iris Secret® -  
25L59Q33G2-RH



Material: PE  
Dtex: 11000 D  
Pile height: 12-65 mm  
Gauge: 3/8, 5/8  
Stitches: 120-300/m  
Density: 7560 - 31500 /m<sup>2</sup>

# AG-1 5



"Let us help to build your dreams"





TopBlade® -  
DIAMOND PRO/130



Material: PE  
Dtex: 13000 D  
Pile height: 12-65 mm  
Gauge: 3/4, 5/8, 3/8  
Stitches: 130- 300/m  
Density: 6825 - 31500 / m<sup>2</sup>

TopBlade® -  
TCMS.PRO/125-50



Material: PE  
Dtex: 12500 D  
Pile height: 12-65 mm  
Gauge: 3/4, 5/8, 3/8  
Stitches: 130- 300/m  
Density: 6825 - 31500 / m<sup>2</sup>

TopBlade® -  
TCMS.TT/100-50



Material: PE  
Dtex: 10000 D  
Pile height: 12-65 mm  
Gauge: 3/4, 5/8, 3/8  
Stitches: 130- 300/m  
Density: 6825 - 31500 / m<sup>2</sup>

## SPORTS TURF

World class fiber and exquisite craftsmanship make football systems outstanding performance.

- Double spine or diamond shape fiber for optimum pile recovery and increased durability.
- Excellence in ball movement, speed & traction.
- Maximum wear resistance & durability.
- Strong climatic resistance (including UVA, extreme weather).



+ (86) 186-8880-7020

IMEXAO  
IMPORTERS EXPORTERS

**AG-1 6**



"Let us help to build your dreams"





## SPORTS TURF


With classical yarn structure and have been well-received worldwide by their superior performance.



- Diamond shape fiber for optimum pile recovery.
- Excellent UV stability.

Diamond VG® -  
50S12Q15G4

Material: PE  
Dtex: 8000/11000/13000 D  
Pile height: 12-65 mm  
Gauge: 3/4, 5/8, 3/8  
Stitches: 130-300/m  
Density: 6825 - 31500 / m<sup>2</sup>



+ (86) 186-8880-7020

- Double-spine shape fiber for perfect ball rebound & shock absorption.
- Top choice for football club & competition stadiums.
- The latest technology in extrusion and high grade polymers.

VigorGenius™ -  
50S16Q15G4

Material: PE  
Dtex: 8800/13000/16000 D  
Pile height: 12-65 mm  
Gauge: 3/4, 5/8, 3/8  
Stitches: 130-300/m  
Density: 6825 - 31500 / m<sup>2</sup>



# AG-17



"Let us help to build your dreams"





## SPORTS TURF

Millions of professional stars' favorite product, professional sports performance similar to natural lawn.



Super Hero® -  
50S18Q15G4



Material: PE  
Dtex: 12000 D  
Pile height: 12-65 mm  
Gauge: 3/4, 5/8, 3/8  
Stitches: 130-300/m  
Density: 6825 - 31500 / m<sup>2</sup>

+ (86) 186-8880-7020

- C-shape structure in PE monofilament fibers.
- Best combination of resilience & softness.

CC Passion® -  
50S19Q15G4



Material: PE  
Dtex: 11000 D  
Pile height: 12-65 mm  
Gauge: 3/4, 5/8, 3/8  
Stitches: 130-300/m  
Density: 6825 - 31500 / m<sup>2</sup>

# AG-1 8



"Let us help to build your dreams"



## SPORTS TURF

Environmentally friendly product, building up a faster, more exciting and skillful multi-function game.



- Strong monofilament.
- Excellence in ball rolling movement, speed & traction.
- Perfect energy absorption.
- Non rubber infill model.
- Meeting both indoor and outdoor sports requirements.
- Brand-new PE & PP Material.

Flick Hits® -  
25S15Z13G3



Material: PE + PP  
Dtex: 16200 D  
Pile height: 12-30 mm  
Gauge: 3/8, 3/16  
Stitches: 120-300/m  
Density: 7560 - 63000 /m<sup>2</sup>

Flick Hits® -  
15S10Z13G3



Material: PE  
Dtex: 4400/6600 D  
Pile height: 8-30 mm  
Gauge: 3/16  
Stitches: 120-400/m  
Density: 25200 - 84000 /m<sup>2</sup>



- PE fibrillated fibers.
- Economical type product fits lower budget.
- Suitable for football, tennis, basketball courts & running tracks.

NetPro™ -  
10S11Q15G3



Material: PE  
Dtex: 6600 D  
Pile height: 8-30 mm  
Gauge: 3/8, 3/16  
Stitches: 120-400/m  
Density: 12600 - 84000 /m<sup>2</sup>

# AG-1 9

 **IMEXAO**  
IMPORTERS EXPORTERS

"Let us help to build your dreams"



## INTERLOCKING FLOOR

FIBA approved interlocking floor series. Offers superior performance enabling your highly sport demands.



- Open grid design with triple layers.
- Matte surface.
- Anti-dizzying design.
- Suspended structure for shock absorption.

Bison® -  
DPM


Material: Modified PP  
Size: 30.48cm\*30.48cm\*  
1.8cm±0.1cm/pc  
(in 12\*12 inch surface)  
Weight: 410±5g



- Double layers surface with 907 suspended supporting columns.
- Best selling series applicable widely in all sport grounds, kindergarten, parking lot, etc.


Deck Bull® -  
DD

Material: Modified PP  
Size: 30.48cm\*30.48cm\*  
1.58cm±0.1cm/pc  
(in 12\*12 inch surface)  
Weight: 340±5g



Deck Bull® -  
DRM

Material: Modified PP  
Size: 30.48cm\*30.48cm\*  
1.50cm±0.1cm/pc  
(in 12\*12 inch surface)  
Weight: 315±5g



# AG-1 10



"Let us help to build your dreams"





## INTERLOCKING FLOOR


It is with simpler design of enjoyable performance.



- Modified PP material of food grade.
- Double-layer structure with super softness.
- Star product for children playground.

### Deck Spring® - GP-K1

Material: Modified PP  
 Size: 30.48cm\*30.48cm\*  
 1.43cm±0.1cm/pc  
 (in 12\*12 inch surface)  
 Weight: 315±5g




+ (86) 186-8880-7020



- Single layer structure suits to majority of applications.
- Smart & easy locking design shorten the time for installation.

### Deck Spring® - DH

Material: Modified PP  
 Size: 30.48cm\*30.48cm\*  
 1.35cm±0.2cm/pc  
 (in 12\*12 inch surface)  
 Weight: 260±5g



IMEXAO IMPORTERS EXPORTERS

# AG-1 11



"Let us help to build your dreams"





+ (86) 186-8880-7020

## INTERLOCKING FLOOR

It is engineered with the same powerful feeling as wooden floor for indoor court.



- Flat surface suitable for all indoor sports & activities.
- Solid internal structure offers strong supporting function.
- Consistent & perfect ball rebound performance.
- Made of durable modified PP material.
- Fire resistance qualified for interior usage.

Brave Heart™-SC

Material: Modified PP  
 Size: 30.48cm\*30.48cm\*1.58cm/pc  
 (in 12\*12 inch surface)  
 Weight: 530±5g



Brave Heart™-MC

Material: Modified PP  
 Size: 25.00cm\*25.00cm\*1.27cm/pc  
 Weight: 250±5g



# AG-1 12

**IMEXAO**  
 IMPORTERS EXPORTERS

"Let us help to build your dreams"

## INTERLOCKING FLOOR

It is with simpler design of enjoyable performance.



- CGT patented product for utility model and designs.
- Best combination of green grass & portable tile.
- Strong interlocking system & conical support structure.
- Application for garden, balcony, roof, children playground, etc.

LockGrass®-  
M30

Base:  
Material: Modified PP  
Size: 30.48cm\*30.48cm  
\*1.00cm±0.1cm/pc  
(in 12\*12 inch surface)  
Weight: 265±5g



The grass part can be customized.

LockGrass®-  
E30

Base:  
Material: Modified PP  
Size: 30.48cm\*30.48cm  
\*1.00cm±0.1cm/pc  
(in 12\*12 inch surface)  
Weight: 220±5g



## BLADEGUARD

Your best choice for temporary turf-covered flooring solution.



*"Let us help to build your dreams"*



- Proper support structure for protecting real grass underneath.
- Easy assemble & disassemble.
- Convenient for storage, roll-able & reusable.



BladeGuard™-  
TPF

Material: Modified PP  
Size: 31.00cm\*8.75cm  
\*1.7cm±0.1cm/pc  
Weight: 100±5g



**AG-1 13**





### 产品特点：

- 1、源于欧洲设计，截面有两根纤维支撑，模拟天然草的结构特点；
- 2、加强筋支撑，挺直度好，回弹性好；
- 3、草纤维表面光泽度良好。
- 4、接近天然草的设计，叶片带茎；



"Let us help to build your dreams"

### 产品参数：

型号：A35011852D11001/1E

草高：50mm

磅重：11000Dtex、8800Dtex、7200Dtex

行距：3/4、5/8、5/8

针数：185针

# AG-2 1

+ (86) 186-8880-7020







### 产品特点：

- 1、顶级的仿真人造草基准，通过14万周Lisport耐磨测试，并通过国际足联FIFA认证；
- 2、场地具有持久弹性，可以经受冲击；
- 3、平整度高，大大降低运动员受伤的风险；
- 4、钻石4D——国际足联认证级别，专业足球运动场地优选产品



*"Let us help to build your dreams"*

+ (86) 186-8880-7020

### 产品参数：

型号：AC604164D132B5

草丝：钻石4D

草高：60mm

磅重：13200Dtex

行距：5/8

针数：160针/米

# AG-2 2





## 产品详情

Product details



*"Let us help to build your dreams"*



### 产品特点：

- 1、通过国际足联认证最高等级GLOBAL；
- 2、外观设计美观大方，专业的系统配合能够均匀地保障球速；
- 3、极佳的平整性，无方向性，保持球的运动方向；

+86 186-8880-7020

# AG-2 3





### 产品参数：

型号：AC60612WZD166BC

草丝：钻石单丝+开网丝

草高：60mm

磅重：16600Dtex

行距：1/2

针数：120针/米



## IMEXAO

IMPORTERS EXPORTERS

### 产品特点：

*"Let us help to build your dreams"*



+ (86) 18618861720 独特工艺，草丝更加柔软，亲和皮肤，快速恢复运动员疲劳；

2、特有设计，模拟天然草的运动性能，通过提高纱线密度从而增加球员的舒适度；

3、傲视群雄的草坪磅重（高达16600DTEX），通过14万周Lisport测试并且最低限度的填充物飞溅，运动性能与安全性能达到理想平衡点，已通过头部撞击测试报告。

# AG-2 4



### 产品特点：

- 1、专业设计，高仿真，可以模拟高尔夫环境中所需要的沙坑、水池、长草区等要素；
- 2、良好抗老化及耐候性，稳定性强，专业运动性能佳；
- 3、草坪平整，无方向性，不影响球滚动；



**IMEXAO**  
IMPORTERS EXPORTERS

*"Let us help to build your dreams"*

### 产品参数：

+ (86) 186-8880-7020

型号：A313324QP05520

草丝：曲PPE

草高：13mm

磅重：5500Dtex

行距：3/16

针数：240针/米

**AG-2 5**





## 产品详情

Product details



*"Let us help to build your dreams"*



### 产品特点：

1、以天然草的设计基准进行铺装，质量和安全性完全达到天然草场地性能，已通过国际足联指定实验室Labosport机构的实验对比；

2、合适的场地软硬度、低滑动性确保球体一致的滚动和弹跳，提供运动员一流的体验；

# AG-2 6



### 产品参数：

型号：A313332QWS05520

草丝：曲PPE

草高：13mm

磅重：5500Dtex

行距：3/16

针数：320针/米



*"Let us help to build your dreams"*



+ (86) 186 8880 7020

### 产品特点

- 1、草密度高，无方向性，可保持球的运动方向；
- 2、极强的耐磨性，使用寿命长；
- 3、极佳的平整性、抗老化及耐候性；
- 4、良好的保水性、透水性；
- 5、加厚的软垫层，使运动性能及脚感极佳；

# AG-2 7





## 产品参数：

型号：A310324WS07611

草丝：网状单丝

草高：10mm

磅重：7600Dtex

行距：3/16

针数：240针/米



*"Let us help to build your dreams"*



+ (86) 186 8980 7020

## 产品特点：

- 1、专业设计，颜色艳丽，有效降低飞溅物；
- 2、固沙性好；
- 3、简易安装，经济实惠；

# AG-2 8



### 产品参数：

型号：A325218WS08811

草丝：网状单丝

草高：15mm

磅重：8800Dtex

行距：3/8

针数：180针/米



*"Let us help to build your dreams"*

### 产品特点：

+ (86) 186-8880-7020

1、有效降低飞溅物；

2、固沙性好；

3、简易安装，经济实惠；

# AG-2 9





### 产品参数：

产品编号：W930200ZQ4N

草丝名称：钻石400+曲丝

草高：30mm

磅重：20000DTEX

颜色：直丝（田野绿+嫩绿）+曲丝（草绿+羊茅黄）

结构：3/8W-2




*"Let us help to build your dreams"*

### 产品特点：

+ (86) 186-8880-7020

- 1、柔和、环保、亲肤，100%可以回收利用；
- 2、独特的编织工艺有别于一般休闲草，出众的挺直度让视觉更加的舒适，保护眼镜不被折射阳光伤害；
- 3、排水性能110Ltr/m<sup>2</sup>/min;
- 4、超强草丝拔出力：>110N，为簇绒草坪的拔出力5倍；
- 5、可以DIY编制图案，个性化设计方案；

# AG-2 10



### 产品参数：

产品编号：W950DM400145B5

草丝名称：钻石400

草高：50mm

磅重：14500DTEX

颜色：田野+嫩绿

结构：7/16W-2



*"Let us help to build your dreams"*


### 产品特点：

+ (86) 186-8880-7020

- 1、高环保性，100%可以回收利用；
- 2、排水性能110Ltr/m<sup>2</sup>/min;
- 3、超强草丝拔出力：>110N，为簇绒草坪的拔出力6-8倍；
- 4、草簇密度分布均匀，草丝直度极佳，提供无与伦比的回弹性；

**AG-2 11**





### 产品参数：


型号：PZC25216GDQ11028

草高：25mm

磅重：11000Dtex

行距：3/8

针数：160针



+ (86) 186-8880-7020

### 产品特点：

- 1、草坪与底板特殊结构连接，不使用胶水；
- 2、拆装方便，DIY个性化安装，满足客户的独特需求；
- 3、使用特制全新材料，安全无毒，100%可回收利用；



*"Let us help to build your dreams"*

# AG-2 12



### 产品参数：


草丝：橄榄单丝+曲丝

草高：25mm

磅重：11000Dtex

行距：3/8

针数：160针/米



### 产品特点：

+ (86) 186-8880-7020

- 1、采用全新环保材料、先进制造工艺，安全无毒，性能稳定；
- 2、色彩丰富、颜色鲜艳、意趣盎然；
- 3、彩虹跑道，五彩造景，多样化设计，给你一个天真烂漫的童年；



*"Let us help to build your dreams"*

# AG-2 13





## 产品参数：

型号：E530222CQ07633

草高：20mm、30mm、35mm

磅重：7600Dtex

行距：3/8

针数：145针、220针、200针



**IMEXAO**  
IMPORTERS EXPORTERS

*"Let us help to build your dreams"*

## 产品特点：

+ (86) 86-8880-7020

- 1、采用新型特制材料，草面丰满、手感柔顺；
- 2、种类多样、颜色生动、仿真度高、可媲美天然草；
- 3、均匀的人造草坪涂敷工艺，束缚力强；



# AG-2 14



## 产品参数：

型号：E525216GDQ11033

草高：25mm

磅重：11000Dtex

行距：3/8

针数：160针



*"Let us help to build your dreams"*



+86 186-8880-7020

## 产品特点：

- 1、采用新型特制材料，接近天然草的特性，触感柔软舒适；
- 2、草面丰满厚实，回弹性能佳；
- 3、草坪设计多样化，满足客户的个性化需求；

# AG-2 15





### 产品特点：

- 1、适合不填充橡胶颗粒的场地使用；
- 2、只填充石英砂，配合SEPP安全减震层效果更佳；
- 3、安全、防霉、环保、无污染、易安装、不含任何金属；

### 产品参数：

+ (86) 186-8880-7020

草丝：橄榄单丝+曲丝同孔

草高：30mm

行距：3/8

针数：180针

**AG-2 16**



### 产品特点：

有效降低飞溅物；  
固沙性好；  
简易安装，经济实惠；

### 产品参数：

型号：A3504165KW8811/1E  
草高：50mm  
磅重：8800Dtex  
行距：5/8  
针数：165针



*"Let us help to build your dreams"*



+ (86) 186-8880-7020

产品案例：<<河南省焦作市修武县职教中心

AG-217S





### 产品特点：

- 1、物美价廉；
- 2、优选食品级原料，5年质保；
- 3、低摩擦性能为运动员提供安全保护；

IMPORTERS EXPORTERS



*"Let us help to build your dreams"*

### 产品参数：

型号：A3504165GD8801/1E

+ (86) 186-8880-7020

草丝：橄榄单丝

草高：50mm

磅重：8800Dtex

行距：5/8

针数：165针

**AG-2 18**





### 产品参数：

型号：A655215ZDQG1853P/3I

草丝：钻石单丝+曲丝隔行

草高：55mm

磅重：185000Dtex

行距：3/8

针数：150针/米



*"Let us help to build your dreams"*



### 产品特点：

☎️ 186-8880-7020

1、有单丝加曲丝隔行、直丝加曲丝隔行两种设计，密度是普通人造草坪的50%以上，可以降低对橡胶颗粒填充物的依赖而取得更专业性能；

2、曲丝的作用大大的提升了场地缓冲性，保护场地不因长期踩踏而板结；

3、独特的三层填充方式，性能更持久；

# AG-2 19







### 产品特点：

- 1、可移动，可回收，适用于各种临时性娱乐活动及比赛；
- 2、无需填充辅料，配SEPP垫层更佳；
- 3、安装方便、易拆卸，五人世界杯选用产品；



**IMEXAO**  
IMPORTERS EXPORTERS

*"Let us help to build your dreams"*

### 产品参数：

型号：A625922WQZ1853P/3I

+ (86) 186-8880-7020  
草丝：开网单丝+曲丝隔行

草高：25mm

磅重：185000Dtex

行距：1/4

**AG-2 20**

针数：220针/米





### 产品特点：

- 1、独特的大开网设计，开网均匀、细腻；
- 2、安装使用后，呈现出单丝草的外观；
- 3、固沙性好，有效降低飞溅物；
- 4、安装方便，经济实惠；



+ (86) 186-8880-7020

### 产品参数：

型号：A6501185KW1201E

草高：50mm

磅重：12000Dtex

行距：3/4

针数：185针

**AG-2 21**





#### 产品特点：

- 1、源于欧洲，独特S型回弹设计，回弹性好；
- 2、耐磨性高，挺直度好；
- 3、具有较高的运动性能和良好的减震抗冲击性；
- 4、独具个性的精湛工艺，草丝如丝般顺滑。



**IMEXAO**  
IMPORTERS-EXPORTERS

*"Let us help to build your dreams"*

#### 产品参数：

型号：A650113SD11001

+ (86) 186-8880-7020

草高：50mm

磅重：11000Dtex

行距：1/2

颜色：田野绿/嫩绿

**AG-2 22**

针数：130针





### 产品特点：

- 1、草面挺直饱满，外观自然洒脱，拥有更基于天然草的外观；
- 2、独特的三维仿生学设计；
- 3、独特的储水降温的优点；
- 4、通过力学测试的C型外加茎设计；
- 5、踩踏能力强，不易开叉；



**IMEXAO**  
IMPORTERS EXPORTERS

*"Let us help to build your dreams"*

### 产品参数：

型号：A650613MD12001

草高：50mm

磅重：12000Dtex

行距：1/2

颜色：田野绿嫩绿

针数：130针

**AG-2 23**







### 产品特点：

- 1、设计源于美国，钻石单丝通过目前严酷的耐磨测试；
- 2、傲胜原创专利产品，一直被模仿从未被超越，设计寿命长达10年以上；
- 3、运动性能达到国际足联星级标准。



*"Let us help to build your dreams"*

### 产品卖点：

- 1、加强型PU背胶设计；
- 2、适用于碎石基础场地及强降雨等恶劣气候地区；
- 3、卓越的抗UV性能，寿命长达10年以上；
- 4、挑战-180至+120度的温度；
- 5、四面无眩光独有设计，仿真度高；

**AG-2 24**



+ (86) 186 8880 7020



### 产品特点：

- 1、专利设计，适合高频率使用；
- 2、卓越的抗UV性能，寿命长达10年以上；
- 3、挑战-180至+120度的温度；
- 4、四面无眩光独有设计，仿真度高；



*"Let us help to build your dreams"*



### 产品参数：

+ (86) 186-8880-7020

型号：A6501185ZD13001

草高：50mm

磅重：13000Dtex

行距：3/4

针数：185针

# AG-2 25





产品特点：*"Let us help to build your dreams"*

- 1、具有耐用性能较好的产品，设计寿命长达10年；
- 2、傲胜钻石系列产品已经在2011年取得国家专利；专利号：ZL201020163971.5；
- 3、国家体育场鸟巢优选产品。



+ (86) 186-8880-7020

产品特点：

- 1、外观采用同孔三色设计，集市场上优势产品的各项优点为一体，乃人造草运动的巅峰之作值得信赖；
- 2、超强耐磨、高回弹，设计使用寿命长达10年；
- 3、18000Dtex的美式超大磅重设计；
- 4、适合顶级运动场地使用，同时拥有卓越的外观与性能

**AG-226**

# Thank You

---

We appreciate your time and attention. If you have any questions or need further information, please feel free to reach out.

---

 **CHINA OFFICE**

Room 19, 2nd Floor DeYi Commercial Building Construction Road No. 4th, Lecong Town Shunde Foshan, Guangdong, Postal code: 528 315

佛山市顺德区乐从镇建设路四号德怡商业大厦北门二楼19-3铺 528315

 + (86) 186-8880-7020     [goldy@imexao.com](mailto:goldy@imexao.com)



@imexao